## THE ORGANIZATION OF CONSTRAINTS ON PHONOLOGICAL SPEECH ERRORS

EMANUELA MAGNO CALDOGNETTO, LIVIA TONELLI, KYRIAKI VAGGES, PIERO COSI

Centro di Studio per le Ricerche di Fonetica del C.N.R. Via G. Oberdan, 10 35122 Padova, Italia

## ABSTRACT

The intrinsic and extrinsic constraints are taken into account in the analysis of 455 consonantal errors - part of a corpus containing about 1500 Italian lapses. Parameters governing both types of constraints, and the hierarchical organization of the extrinsic ones are discussed. Our results provide evidence for some phonological properties of Italian.

1. Since the pioneering paper by Victoria Fromkin. [1] the list of those working on speech errors has come to include - as the rich literature on the topic shows [2,3,4,5,6,7,8,9,10] - linguists, psycolinguists, cognitive psycologists, and neurologists, as well as phoneticians, in the common effort to shed light on the organization of language performance. Research has centered mainly on two related questions: a) to what extent the grammatical units and structures represented in the human mind match the processing representations b) to what extent principles and rules which govern grammatical knowledge serve the process of speech production planning.

This paper is concerned with the second topic, and, in particular, with the parameters governing the phonological intrinsic and extrinsic constraints on the occurrence of speech errors.

An analysis of the Italian data was carried out along the lines of van den Broecke & Goldstein's [11] and Shattuck-Hufnagel's work [12,13]. The difference between our results and those obtained for the English data seem to reflect specific properties of the phonological system of Italian. 2. Our analysis is based on a corpus of 455 spontaneous speech errors that involve consonantal phonemes collected at the Centro di Studio per le Ricerche di Fonetica [14] as part of a larger project on speech production. The errors were classified by means of the now-classic superficial typology which includes exchanges: ma è senza senso --> ma è sensa senzo (but it is without any

sense), contextual substitutions : insufficienza mentale --> insufficienta mentale (mental insufficiency), i dati bibliografici --> i dati bibliogratici (the bibliographic data) and non-contextual substitutions : questi succhi di frutta finiscono subito --> questi ciucchi di frutta finiscono subito (these fruit juices sell out immediately).

Table 1. Confusion matrix of speech errors.

## intrusion

	D	b	t	d	k	g	f	ν	s	z	ſ	ts	ďΖ	tſ	ďζ	m	n	ŗ	1	λ	r	j
р			7	1	18		4	1			1			2	1	3 2			1		1 1	
b t	3 8	1		4	15	1	4	1	6	2			1	7		2	3		2			
d k	17		5 <b>1</b> 5	; .		2 1		1	5			1		1	1	2	1		1		1	
g f	1 7	1	2	1	2			2						1		1 2	1		4		1	
V S	1 7		3				2			1		1		1		1	2		2		2	
z J		1				1	. 1	3	4					_			5		_	•	_	
ts dz			1						3	}				. 3	3		2		٠			
t∫	2	1	. 6		3			1	. 4			5		1		1	2	2		L		
d3 m	2	2 1	. 1		. 1	. 1	. 1	. 4	. 1		ŀ	1	. 2	2 2	2	3	6			L 2	3 2	
n Ji			L Ł	-		. 1	ı	3	3 1	Lí	2			1	L	1		2 1			1	2
γ							•							1	L	3	3 :	2		9		3
r j	-	L :	1 :	L	2	4					_									1	3	

For the purpose of this analysis, insertions, deletions and shifts were not considered.

3. The evaluation of the intrinsic constraints, i.e. the restrictions on the occurrence of speech errors on the paradigmatic axis, is based on the inspection of the confusion matrix given in Tab. 1. The symmetry ( $X^2=12.40 \text{ p}<.5$ ) of the matrix leads to the same results obtained for English by Shattuck-Hufnagel and Klatt [15]: for any given

pair of phonemes there is no preference for one of them to act as intrusion or as target, i.e. the behaviour of speech errors is not governed by the parameter "dominance".

The next analysis was carried out in order to evaluate the weight of a second parameter; the influence of "similarity" as a function of the intrinsic phonetic/ phonological characteristics of phonemes on speech errors. For this purpose we basically followed the methodological approach proposed by van den Broecke and Goldstein [11]. We employed a "behavioral" feature system obtained a posteriori by means of hierarchical clustering and multidimensional scaling analyses of the substitution patterns.




Figure 1. Hierarchical clustering representation.

The dendrogram in Fig. 1. shows a clustering involving the voiceless stops /p,t,k/. At a lower similarity level, a cluster is formed by the voiced phonemes separated from the voiceless phonemes with the exceptions of /v,b,f/. The configurations obtained by the multidimensional scaling technique yield more information, since the groupings derived from the clustering analysis are not sufficient to represent the structure underlying all the phonemes examined. In fact, in Fig. 2a voiced and voiceless consonants form two well distinguished groups; resonants constitute another separate group, with the exception of /v/; a fourth group is made up by the stop consonants. Finally, Fig. 2b shows four separate groups which correspond to the places of articulation: labial, dental-alveolar, palatal, velar, with the possible exception of /1/.

The groupings observed above were incorporated in the following a posteriori matrix, in which the features <fricative> and <lateral> were added in order to distinguish the consonants considered in

an unambiguous way.

The matrix in Tab. 3 , compared with the matrix elaborated by van den Broecke and Goldstein [11] on





Figure 2. a) dimensions 1 and 2, b) dimensions  $^{\rm 1}$  and 3 of the three-dimensional MDS configuration.

the basis of two different English corpora and a German corpus, shows a first difference concerning the specification of the feature <stop> and a second difference regarding the inclusion of the feature <resonant>. Both properties are evident in the configuration of our data and both of them are part of the phonological representation: in Italian a segment-structure rule operates in order to eliminate palatal articulation within stop consonants, and a syllable structure rule eliminates non-resonant consonants from syllable coda position.

As the matrix in Tab. 3 illustrates, the phonetic/phonological similarity of phonemes constrains

their interaction in speech errors [15,16,11]; in fact, the degree of involvement of phonemes in lapses is inversely proportional to their differences expressed in number of features:

Table 3. A-posteriori feature matrix for consonantal speech errors.



34.5%, 32.1%, 18.7%, 5.5%, 7.0% and 2.2% of the errors occur respectively betweem phonemes differing in 1, 2, 3, 4, 5, and 6 features.

4. The second set of constraints is constituted by the extrinsic constraints, i.e. the structural and contextual factors which influence the occurrence of speech errors on the syntagmatic axis; for this study we analyzed the following factors:

- the role of syllabic structure;
- the positional role of segments within words;
- the influence of lexical stress;
- the influence of the phonological segmental

In order to evaluate the role of syllable structure, we excluded from our computation all non-contextual substitutions and ambiguous errors, as well as all errors involving geminates. As far as the geminates are concerned, there is still some theoretical disagreement about their mono- versus biphonematic status, and, hence, about their syllabification [14]. Consequently, the analysis was carried out on a corpus of 240 errors.

A high rate (93%) of the errors concern the interactions between phonemes in syllable onset Position. This finding has been used in the literature on speech errors as an argument in favour of the break down of the syllables in two groups: the onset and the rhyme [17,18,7]. This argument has already been challenged by Vennemann [19] and Davis [20]; our data furnish some more evidence for a different structural configuration of the syllabic unit. In fact, 1% of the errors involve interaction between nuclei and codas: il pulman --> il pluman (the bus); 3% involve interaction between onsets and codas: bisogna stimolarlo --> bisogna stimorarlo (it must be stimulated); and 3% of errors involve interactions between onsets and nuclei: lavati --> alvati (wash Yourself). The parameter which constrains errors to

occur in syllable initial position with such high rate is constituted, in our opinion, by the phonological strength: segments in syllable onsets, i.e. in strong positions [21,22,19] are more available and hence more prone to interact.

The parameter "similarity of strength" seems to govern, also, the next two constraints, i.e. lexical stress and word position, both operating within the word domain.

For their evaluation, only between-word errors were considered (N=123); in fact, within-word errors would, by their nature, limit the array of possible interactions [12,13]. Futhermore, we removed from the computation the compounds and the monosyllabic words, which, however, constituted only the 3% of the whole corpus.

The fact that 48% of the errors concern phoneme pairs in word initial position and the finding that 42% of the errors involve interactions between phonemic segments in stressed syllables, strongly supports the influence of both "word position constraint" and "lexical stress constraint" [23,24].

In order to evaluate which constraint has greater strength, a separate analysis was carried out. We considered only the errors (N=52) in which all the interacting phonemes occurred in stressed syllables but were located in different word positions.

Table 4. Distribution of errors in stressed position in different word position.

Initial	Medial	Final	Different			
initial	Medial	Final	Position			
67 30%	19.83%	1.92%	11.53%			

As Tab. 4 illustrates, the results furnish some evidence for a hierarchical organization of both constraints: word onsets influence the occurrence of speech errors more strongly than lexical stress. As far as the last constraint is concerned, i.e. the phonological context, there is no way to establish, in a straightforward manner, its influence on the occurrence of speech errors. The interactions between phonemes followed by different syllable nuclei make up 44% of the errors, 38% concern identical syllable nuclei and 18% is constituted by CV sequences for which there is no way to establish whether whole syllables are involved in errors or simply consonantal phonemes followed by identical vowels.

5. Within a model of language production, our analysis starts at Garrett's [25,26] positional level, on which "superficial phrasal geometry" has been established, and it aims "to delineate underlying representations from which superficial phonetic phenomena can be derived" [27]. The

results fit with the slot-and-filler framework proposed by Shattuck-Hufnagel [28,12,13]: the likelihood for two phonemes to interact in speech errors depends on their degree of similarity. Our data show that the factors by which intrinsic similarity is established reflect the phonological organization of Italian. On the paradigmatic axis the dimensions <manner> <place> <voice> <sonority> correspond to the categories on which phonological processes depend; on the syntagmatic axis the hierarchical organisation of the different domains on which "similarity of strength" works, reflect the fact that, in Italian, underlying syllable structure is substantially neither altered within the word domain nor it is influenced by stress.

## REFERENCES

- [41] V.A. Fromkin, "The non-Anomalous Nature of Anomalous Utterances", Language 47, 1971, 27-52.
- [2] V.A. Fromkin (ed.), Speech Errors as Linguistic Evidence, Mouton, The Hague, 1973.
- [ 3] V.A. Fromkin (ed.), Errors in Linguistic Performance. Slips of the Tongue, Ear, Pen and Hand, Academic Press, London, 1980.
- [4] A. Cutler (ed.), Slips of the Tongue and Language Production, Mouton, The Hague, 1982.
- [5] H.W. Buckingham, "On Correlating Aphasic Errors with Slips-of-the-Tongue", in Applied Psycholinguistics 1, 1980, 199-220.
- [ 6] E. Söderpalm Talo, Speech Errors in Normal' and Pathological Speech, Gleerup, Malmö, 1979.
- [ 7] J.P. Stemberger, "Speech Errors and Theoretical Phonology: A Review", Indiana University Linguistic Club, Bloomington, 1983.
- [ 8] M. Kilani-Schoch, Processus Phonologiques, Processus Morphologiques et Lapsus dans un Corpus Aphasique, Lang, Bern, 1982.
- [ 9] B. Butterworth, "Some Constraints on Models of Language Production", in B. Butterworth (ed.), Language Production, Vol. 1, Speech and Talk, Academic Press, London, 1980, 423-459.
- [10] W.U. Dressler, E. Magno Caldognetto, L. Tonelli, "Phonologische Fehlleistungen und Paraphasien im Deutschen und Italienischen", Grazer Linguistische Studien, 26, 1985, 46-56.
- [11] M.P.R. van den Broecke, L. Goldstein, "Consonant Features in Speech Errors", in V. A. Fromkin (ed.), Errors in Linguistic Performance. Slips of the Tongue, Ear, Pen and Hand, Academic Press, London, 1980, 213-230.
- [12] S. Shattuck-Hufnagel, "Sublexical Units and Suprasegmental Structure in Speech Production Planning", in P.F. Mac Neilage (ed.), The Production of Speech, Springer-Verlag, Berlin, 1983, 109-136.
- [13] S. Shattuck-Hufnagel, "The Representation of Phonological Information", in Phonology Yearbook 3,

- 1986, 117-149.
- [14] E. Magno Caldognetto, L. Tonelli, "Syllabic Constraints on Phonological Speech Errors in Italian", in W. Dressler, L. Tonelli (eds.), Natural Phonology from Eistenstadt, CLESP, Padova, 1985, 73-88.
- [15] S. Shattuck-Hufnagel, D.H. Klatt, "How Single Phoneme Error Data Rule out two Models of Error Generation", in V.A. Fromkin (ed.), Errors in Linguistic Performance, Academic Press, New York, 1980, 35-46.
- [16] S.G. Nooteboom, "Some Regularities in Phonemic Speech Errors", Institute for Perception Research, Eindhoven, Annual Progress Report, 2, 1967, 65-70.
- [17] D.G. Mackay "The Structure of Words and Syllables: Evidence from Errors in Speech", Cognitive Psycology 3, 1972, 210-227.

RΕ

Lе

ne

sa

tu

ta

le

pe

du

pe

ré

ďο

ci

٧a

pa lo

IN

No

CC

tj

cł

C

V

Þ

f

d,

e h

t

N

t

- [18] A. Crompton, "Syllables and Segments in Speech Production", in A. Cutler (ed.), Slips of the Tongue and Language Production, Mouton, New York, 1982, 109-162.
- [19] Th. Vennemann, Neuere Entwicklungen in der Phonologie. Mouton de Gruyter, Berlin, 1986.
- [20] S. Davis, "Topics in Syllabic Geometry", Ph.Diss., The University of Arizona, 1985.
- [21] P. Donegan, D. Stampe, "The Syllable in Phonological and Prosodic Structure", in A. Bell and J.B. Hooper (eds.); Syllables and Segments, North-Holland, Amsterdam, 1978.
- [22] W.U. Dressler, Morphonology. The Dynamics of Derivation, Karoma, Ann Arbor, 1985.
- [23] D.A Fay and A. Cutler, "Malapropisms and the Structure of the Mental Lexicon", Linguistic Inquiry, 8, 1977, 505-520.
- [24] A. Cutler, "The Reliability of Speech Error Data", in A. Cutler (ed.), Slips of the Tongue and Language Production, Mouton, New York, 1982, 7-28.
- [25] M.F. Garrett, "Syntactic Processes in Sentence Production", in R. Wales, E.C.T. Walker (eds.), New Approaches to Language Mechanisms, North-Holland Press, Amsterdam, 1976, 231-255.
- [26] M.F. Garrett, "Levels of Processes in Sentence Production", in B. Butterworth (ed.), Language Production, Vol. 1, Speech and Talk, Academic Press, New York, 1980, 177-220.
- [27] W.J.M. Levelt, "Spontaneous Self-Repair in Speech: Processes and Representations", in M.P.R. van den Broecke and A. Cohen (eds.), Proceedings of the Tenth International Congress of Phonetic Sciences, Foris Publications, Holland, 1984, 105-117.
- [28] S. Shattuck-Hufnagel, "Speech Errors as Evidence for a Serial Ordering Mechanism in Sentence Production", in W.E. Cooper, E. Walker (eds.), Sentence Processing: Psycholinguistic Studies Presented to M. Garrett, Erlbaum, Hillsdale, 1980, 295-342.